

## Addressing products attribute mapping

### Key for using this table



Cells coloured orange are conceptually the same as the mapped AddressBase products field, however the source and/or content will be different.

- Cells containing a 'dash' do not have a 'mappable' field.

AddressBase® Premium Record type	AddressBase attribute	AddressBase Plus attribute	AddressBase Premium attribute	National Land and Property Gazetteer attribute	One Scotland Gazetteer attribute	MasterMap® Address Layer 2 attribute	Address Layer attribute	ADDRESS-POINT® attribute
Header	-	-	RECORD_IDENTIFIER	RECORD_IDENTIFIER	RECORD_IDENTIFIER	-	-	-
Header	-	-	CUSTODIAN_NAME	CUSTODIAN_NAME	CUSTODIAN_NAME	-	-	-
Header	-	-	LOCAL_CUSTODIAN_CODE	LOCAL_CUSTODIAN_CODE	CUSTODIAN_CODE	-	-	-
Header	-	-	PROCESS_DATE	PROCESS_DATE	PROCESS_DATE	-	-	-
Header	-	-	VOLUME_NUMBER	VOLUME_NUMBER	VOLUME_NUMBER	-	-	-
Header	-	-	ENTRY_DATE	ENTRY_DATE	ENTRY_DATE	-	-	-
Header	-	-	TIME_STAMP	TIME_STAMP	TIME_STAMP	-	-	-
Header	-	-	VERSION	DTF_VERSION	DTF_VERSION	-	-	-
Header	-	-	FILE_TYPE	FILE_TYPE	FILE_TYPE	-	-	-
Application Cross Reference	-	-	RECORD_IDENTIFIER	-	RECORD_IDENTIFIER	-	-	-
Application Cross Reference	CHANGE_TYPE	CHANGE_TYPE	CHANGE_TYPE	CHANGE_TYPE	CHANGE_TYPE	-	-	-
Application Cross Reference	-	-	PRO_ORDER	PRO_ORDER	PRO_ORDER	-	-	-
Application Cross Reference	-	-	UPRN	UPRN	UPRN	-	-	-
Application Cross Reference	-	-	APPLICATION_CROSS_REFERENCE_KEY	-	XREF_KEY	-	-	-

AddressBase® Premium Record type	AddressBase attribute	AddressBase Plus attribute	AddressBase Premium attribute	National Land and Property Gazetteer attribute	One Scotland Gazetteer attribute	MasterMap® Address Layer 2 attribute	Address Layer attribute	ADDRESS-POINT® attribute
Application Cross Reference	OS_ADDRESS_TOID	OS_ADDRESS_TOID	CROSS_REFERENCE (where SOURCE is 7666MA)	-	CROSS_REFERENCE	OS_A_TOID	TOID	-
Application Cross Reference	-	OS_TOPO_TOID	CROSS_REFERENCE (where SOURCE is 7666MT)	-	CROSS_REFERENCE	OS_RT_TOID	OS_RT_TOID	-
Application Cross Reference	-	OS_ROADLINK_TOID	CROSS_REFERENCE (where SOURCE is 7666MI)	-	CROSS_REFERENCE	OS_RL_TOID	-	-
Application Cross Reference	-	VOA_CT_RECORD	CROSS_REFERENCE (where SOURCE is 7666VC)	-	CROSS_REFERENCE	VO C UARN	-	-
Application Cross Reference	-	VOA_NDR_RECORD	CROSS_REFERENCE (where SOURCE is 7666VN)	-	CROSS_REFERENCE	VO N UARN	-	-
Application Cross Reference	-	WARD_CODE	CROSS_REFERENCE (where SOURCE is 7666OW)	<LOCATED ON BLPU>	-	-	-	-
Application Cross Reference	-	PARISH_CODE	CROSS_REFERENCE (where SOURCE is 7666OP)	<LOCATED ON BLPU>	-	-	-	-
Application Cross Reference	-	OS_ADDRESS_TOID_VERSION	VERSION (where SOURCE is 7666MA)	-	-	OS_A_TOIDV	OS_A_TOIDV	-
Application Cross Reference	-	OS_TOPO_TOID_VERSION	VERSION (where SOURCE is 7666MT)	-	-	OS_T_TOIDV	-	-
Application Cross Reference	-	OS_ROADLINK_TOID_VERSION	VERSION (where SOURCE is 7666MI)	-	-	OS_L_TOIDV	-	-
-	-	VOA_NDR_P_DESC_CODE	-	-	-	VO_P_CLASS	-	-
-	-	VOA_NDR_SCAT_CODE	-	-	-	VO_S_CLASS	-	-
Application Cross Reference	-	-	SOURCE	-	SOURCE	-	-	-
Application Cross Reference	-	-	START_DATE	-	START_DATE	-	-	-

AddressBase® Premium Record type	AddressBase attribute	AddressBase Plus attribute	AddressBase Premium attribute	National Land and Property Gazetteer attribute	One Scotland Gazetteer attribute	MasterMap® Address Layer 2 attribute	Address Layer attribute	ADDRESS-POINT® attribute
Application Cross Reference	-	-	END_DATE	-	END_DATE	-	-	-
Application Cross Reference	-	-	LAST_UPDATE_DATE	-	LAST_UPDATE_DATE	OS_A_TOIDD	OS_A_TOIDD	-
Application Cross Reference	-	-	ENTRY_DATE	-	ENTRY_DATE	-	-	-
BLPU	-	-	RECORD_IDENTIFIER	RECORD_IDENTIFIER	RECORD_IDENTIFIER	-	-	-
BLPU	CHANGE_TYPE	CHANGE_TYPE	CHANGE_TYPE	CHANGE_TYPE	CHANGE_TYPE	-	-	-
BLPU	-	-	PRO_ORDER	PRO_ORDER	PRO_ORDER	-	-	-
BLPU	UPRN	UPRN	UPRN	UPRN	UPRN	-	-	-
BLPU	-	-	LOGICAL_STATUS	LOGICAL_STATUS	LOGICAL_STATUS	-	-	-
BLPU	-	BLPU_STATE	BLPU_STATE	BLPU_STATE	BLPU_STATE	OS_SF_PS	-	PHYSICAL STATUS
BLPU	-	BLPU_STATE_DATE	BLPU_STATE_DATE	BLPU_STATE_DATE	BLPU_STATE_DATE	-	-	-
BLPU	-	PARENT_UPRN	PARENT_UPRN	PARENT_UPRN	PARENT_UPRN	OS_RA_TOID	-	-
BLPU	X_COORDINATE	X_COORDINATE	X_COORDINATE	X_COORDINATE	X_COORDINATE	OS X	OS X	EASTINGS
BLPU	Y_COORDINATE	Y_COORDINATE	Y_COORDINATE	Y_COORDINATE	Y_COORDINATE	OS Y	OS Y	NORTHINGS
BLPU	RPC	RPC	RPC	RPC	RPC	OS_SF_PQ/OS_SF_PQA	OS_SF_PQ/OS_SF_PQA	POSITIONAL QUALITY
BLPU	-	LOCAL_CUSTODIAN_CODE	LOCAL_CUSTODIAN_CODE	AUTH_CODE	CUSTODIAN_CODE	LA_C	-	-
BLPU	START_DATE	START_DATE	START_DATE	START_DATE	START_DATE	-	-	-
BLPU	-	END_DATE	END_DATE	END_DATE	END_DATE	-	-	-
BLPU	LAST_UPDATE_DATE	LAST_UPDATE_DATE	LAST_UPDATE_DATE	LAST_UPDATE_DATE	LAST_UPDATE_DATE	-	-	-
BLPU	ENTRY_DATE	ENTRY_DATE	ENTRY_DATE	ENTRY_DATE	ENTRY_DATE	-	-	-
BLPU	-	POSTAL_ADDRESS (where 'M')	POSTAL_ADDRESS (where 'M')	<LOCATED ON LPI> (ALT CODELIST)	<LOCATED ON LPI> (ALT CODELIST)	OS THEME (POSTAL/MULTIPLE OCC)	-	-
BLPU	-	POSTAL_ADDRESS (where 'S')	POSTAL_ADDRESS (where 'S')	<LOCATED ON LPI> (ALT CODELIST)	<LOCATED ON LPI> (ALT CODELIST)	OS THEME (POSTAL/MULTIPLE OCC)	-	-

AddressBase® Premium Record type	AddressBase attribute	AddressBase Plus attribute	AddressBase Premium attribute	National Land and Property Gazetteer attribute	One Scotland Gazetteer attribute	MasterMap® Address Layer 2 attribute	Address Layer attribute	ADDRESS-POINT® attribute
BLPU	-	POSTAL_ADDRESS (where 'C')	POSTAL_ADDRESS (where 'C')	<LOCATED ON LPI> (ALT CODELIST)	<LOCATED ON LPI> (ALT CODELIST)	OS THEME (MULTI OCC/ POSTAL)	-	-
BLPU	-	POSTAL_ADDRESS (where 'N')	POSTAL_ADDRESS (where 'N')	<LOCATED ON LPI> (ALT CODELIST)	<LOCATED ON LPI> (ALT CODELIST)	OS THEME (NON POSTAL)	-	-
BLPU	-	POSTCODE_LOCATOR	POSTCODE_LOCATOR	-	-	OS_BS_PC	-	-
BLPU	-	MULTI_OCC_COUNT	MULTI_OCC_COUNT	-	-	RM_MOC	RM_MOC	-
Classification	-	-	RECORD_IDENTIFIER	-	RECORD_IDENTIFIER	-	-	-
Classification	-	-	CHANGE_TYPE	-	CHANGE_TYPE	-	-	-
Classification	-	-	PRO_ORDER	-	PRO_ORDER	-	-	-
Classification	-	-	UPRN	-	UPRN	-	-	-
Classification	-	-	CLASS_KEY	-	CLASS_KEY	-	-	-
Classification	CLASS	CLASS	CLASSIFICATION_CODE	<LOCATED ON BLPU> (BLPU CLASSIFICATION)	BLPU_CLASS	OS_CLASS	-	-
Classification	-	-	CLASS_SCHEME	-	CLASS_SCHEME	-	-	-
Classification	-	-	SCHEME_VERSION	-	-	-	-	-
Classification	-	-	START_DATE	-	START_DATE	-	-	-
Classification	-	-	END_DATE	-	END_DATE	-	-	-
Classification	-	-	LAST_UPDATE_DATE	-	LAST_UPDATE_DATE	OS_A_CD1	-	-
Classification	-	-	ENTRY_DATE	-	ENTRY_DATE	-	-	-
DPA	-	-	RECORD_IDENTIFIER	-	-	-	-	-
DPA	-	-	CHANGE_TYPE	-	-	-	-	-
DPA	-	-	PRO_ORDER	-	-	-	-	-
DPA	-	-	UPRN	-	-	-	-	-
DPA	-	-	PARENT_ADDRESSABLE_UPRN	-	-	RM Ref To UDPRN	-	-
DPA	RM_UDPRN	RM_UDPRN	RM_UDPRN	-	-	RM_UDPRN	-	-

AddressBase® Premium Record type	AddressBase attribute	AddressBase Plus attribute	AddressBase Premium attribute	National Land and Property Gazetteer attribute	One Scotland Gazetteer attribute	MasterMap® Address Layer 2 attribute	Address Layer attribute	ADDRESS-POINT® attribute
DPA	ORGANISATION_NAME	ORGANISATION_NAME	ORGANISATION_NAME	-	-	RM_DP_ON	-	ORGANISATION_NAME
DPA	DEPARTMENT_NAME	DEPARTMENT_NAME	DEPARTMENT_NAME	-	-	RM_DP_DP	RM_DP_DP	DEPARTMENT NAME
DPA	SUB_BUILDING_NAME	SUB_BUILDING_NAME	SUB_BUILDING_NAME	-	-	RM_DP_SB	RM_DP_SB	SUB-BUILDING NAME
DPA	BUILDING_NAME	BUILDING_NAME	BUILDING_NAME	-	-	RM_DP_BD	RM_DP_BD	BUILDING_NAME
DPA	BUILDING_NUMBER	-	BUILDING_NUMBER	-	-	RM_DP_BN	RM_DP_BN	BUILDING_NUMBER
DPA	DEPENDENT_THOROUGHFARE_NAME	DEPENDENT_THOROUGHFARE_NAME	DEPENDENT_THOROUGHFARE_NAME	-	-	RM_DP_DR	RM_DP_DR	DEPENDENT THOROUGHFARE
DPA	THROUGHFARE_NAME	THROUGHFARE_NAME	THROUGHFARE_NAME	-	-	RM_DP_TN	RM_DP_TN	THOROUGHFARE NAME
DPA	DOUBLE_DEPENDENT_LOCALITY	DOUBLE_DEPENDENT_LOCALITY	DOUBLE_DEPENDENT_LOCALITY	-	-	RM_DP_DD	RM_DP_DD	DOUBLE DEPENDENT LOCALITY
DPA	DEPENDENT_LOCALITY	DEPENDENT_LOCALITY	DEPENDENT_LOCALITY	-	-	RM_DP_DL	RM_DP_DL	DEPENDENT LOCALITY
DPA	POST_TOWN	POST_TOWN	POST_TOWN	<LOCATED ON LPI>	<LOCATED ON LPI>	RM_DP_PT	RM_DP_PT	POST TOWN
DPA	POSTCODE	POSTCODE	POSTCODE	<LOCATED ON LPI>	<LOCATED ON LPI>	RM_DP_PC	RM_DP_PC	POSTCODE
DPA	POSTCODE_TYPE	POSTCODE_TYPE	POSTCODE_TYPE	-	-	RM_DP_PCT	-	-
DPA	-	WELSH_DEPENDENT_THOROUGHFARE	WELSH_DEPENDENT_THOROUGHFARE	-	-	RM_WDT_DR	-	-
DPA	-	WELSH_THOROUGHFARE_NAME	WELSH_THOROUGHFARE_NAME	-	-	RM_WDT_TN	-	-
DPA	-	WELSH_DOUBLE_DEPENDENT_LOCALITY	WELSH_DOUBLE_DEPENDENT_LOCALITY	-	-	RM_WDT_DD	-	-
DPA	-	WELSH_DEPENDENT_LOCALITY	WELSH_DEPENDENT_LOCALITY	-	-	RM_WDT_DL	-	-
DPA	-	WELSH_POST_TOWN	WELSH_POST_TOWN	-	-	RM_WDT_PT	-	-
DPA	PO_BOX_NUMBER	PO_BOX_NUMBER	PO_BOX_NUMBER	-	-	RM_DP_PB	RM_DP_PB	PO BOX NUMBER
DPA	PROCESS_DATE	PROCESS_DATE	PROCESS_DATE	-	-	RM_P_DATE	RM_P_DATE	ROYAL MAIL VERSION
DPA	-	-	START_DATE	-	-	-	-	-
DPA	-	-	END_DATE	-	-	-	-	-
DPA	-	-	LAST_UPDATE_DATE	-	-	-	-	-

AddressBase® Premium Record type	AddressBase attribute	AddressBase Plus attribute	AddressBase Premium attribute	National Land and Property Gazetteer attribute	One Scotland Gazetteer attribute	MasterMap® Address Layer 2 attribute	Address Layer attribute	ADDRESS-POINT® attribute
DPA	-	-	ENTRY_DATE	-	-	-	-	-
LPI	-	-	RECORD_IDENTIFIER	RECORD_IDENTIFIER	RECORD_IDENTIFIER	-	-	-
LPI	-	-	CHANGE_TYPE	CHANGE_TYPE	CHANGE_TYPE	-	-	-
LPI	-	-	PRO_ORDER	PRO_ORDER	PRO_ORDER	-	-	-
LPI	-	-	UPRN	UPRN	UPRN	-	-	-
LPI	-	-	LPI_KEY	LPI_KEY	LPI_KEY	-	-	-
LPI	-	ALT_LANGUAGE	LANGUAGE	LANGUAGE	LANGUAGE	-	-	-
LPI	-	-	LOGICAL_STATUS (where 'alternative')	LOGICAL_STATUS	LOGICAL_STATUS	RM_AL_AKA	-	-
LPI	-	-	LOGICAL_STATUS	LOGICAL_STATUS	LOGICAL_STATUS	-	-	-
LPI	-	-	START_DATE	START_DATE	START_DATE	-	-	-
LPI	-	-	END_DATE	END_DATE	END_DATE	-	-	-
LPI	-	-	LAST_UPDATE_DATE	LAST_UPDATE_DATE	LAST_UPDATE_DATE	-	-	-
LPI	-	-	ENTRY_DATE	ENTRY_DATE	ENTRY_DATE	-	-	-
LPI	-	SAO_START_NUMBER	SAO_START_NUMBER	SAO_START_NUMBER	SAO_START_NUMBER	OS_BS_SAON	-	-
LPI	-	SAO_START_SUFFIX	SAO_START_SUFFIX	SAO_START_SUFFIX	SAO_START_SUFFIX	OS_BS_SAON	-	-
LPI	-	SAO_END_NUMBER	SAO_END_NUMBER	SAO_END_NUMBER	SAO_END_NUMBER	OS_BS_SAON	-	-
LPI	-	SAO_END_SUFFIX	SAO_END_SUFFIX	SAO_END_SUFFIX	SAO_END_SUFFIX	OS_BS_SAON	-	-
LPI	-	SAO_TEXT	SAO_TEXT	SAO_TEXT	SAO_TEXT	OS_BS_SAON	-	-
LPI	-	PAO_START_NUMBER	PAO_START_NUMBER	PAO_START_NUMBER	PAO_START_NUMBER	OS_BS_PAON	-	-
LPI	-	PAO_START_SUFFIX	PAO_START_SUFFIX	PAO_START_SUFFIX	PAO_START_SUFFIX	OS_BS_PAON	-	-
LPI	-	PAO_END_NUMBER	PAO_END_NUMBER	PAO_END_NUMBER	PAO_END_NUMBER	OS_BS_PAON	-	-
LPI	-	PAO_END_SUFFIX	PAO_END_SUFFIX	PAO_END_SUFFIX	PAO_END_SUFFIX	OS_BS_PAON	-	-
LPI	-	PAO_TEXT	PAO_TEXT	PAO_TEXT	PAO_TEXT	OS_BS_PAON	-	-
LPI	-	USRN	USRN	USRN	USRN	-	-	-

AddressBase® Premium Record type	AddressBase attribute	AddressBase Plus attribute	AddressBase Premium attribute	National Land and Property Gazetteer attribute	One Scotland Gazetteer attribute	MasterMap® Address Layer 2 attribute	Address Layer attribute	ADDRESS-POINT® attribute
LPI	-	USRN_MATCH_INDICATOR	USRN_MATCH_INDICATOR	-	-	-	-	-
LPI	-	AREA_NAME	AREA_NAME	-	-	-	-	-
LPI	-	LEVEL	LEVEL	LEVEL	LEVEL	-	-	-
LPI	-	OFFICIAL_FLAG	OFFICIAL_FLAG	OFFICIAL_FLAG	OFFICIAL_FLAG	-	-	-
Organisation	-	-	RECORD_IDENTIFIER	-	-	-	-	-
Organisation	-	-	CHANGE_TYPE	-	-	-	-	-
Organisation	-	-	PRO_ORDER	-	-	-	-	-
Organisation	-	-	UPRN	<LOCATED ON BLPU>	<LOCATED ON BLPU>	-	-	-
Organisation	-	-	ORG_KEY	-	-	-	-	-
Organisation	-	ORGANISATION	ORGANISATION	<LOCATED ON BLPU> (ORGANISATION_NAME)	<LOCATED ON BLPU> (ORGANISATION_NAME)	-	-	-
Organisation	-	-	LEGAL_NAME	-	<LOCATED ON BLPU>	-	-	-
Organisation	-	-	START_DATE	-	-	-	-	-
Organisation	-	-	END_DATE	-	-	-	-	-
Organisation	-	-	LAST_UPDATE_DATE	-	-	-	-	-
Organisation	-	-	ENTRY_DATE	-	-	-	-	-
Street	-	-	RECORD_IDENTIFIER	RECORD_IDENTIFIER	RECORD_IDENTIFIER	-	-	-
Street	-	-	CHANGE_TYPE	CHANGE_TYPE	CHANGE_TYPE	-	-	-
Street	-	-	PRO_ORDER	PRO_ORDER	PRO_ORDER	-	-	-
Street	-	-	USRN	USRN	USRN	-	-	-
Street	-	-	RECORD_TYPE	RECORD_TYPE	RECORD_TYPE	-	-	-
Street	-	-	SWA_ORG_REF_NAMING	SWA_ORG_REF_NAMING	CUSTODIAN_CODE	-	-	-
Street	-	-	STATE	STATE	STATE	-	-	-
Street	-	-	STATE_DATE	STATE_DATE	STATE_DATE	-	-	-

AddressBase® Premium Record type	AddressBase attribute	AddressBase Plus attribute	AddressBase Premium attribute	National Land and Property Gazetteer attribute	One Scotland Gazetteer attribute	MasterMap® Address Layer 2 attribute	Address Layer attribute	ADDRESS-POINT® attribute
Street	-	-	STREET_SURFACE	STREET_SURFACE	-	-	-	-
Street	-	-	STREET_CLASSIFICATION	STREET_CLASSIFICATION	STREET_CLASSIFICATION	-	-	-
Street	-	-	VERSION	VERSION	-	-	-	-
Street	-	-	STREET_START_DATE	STREET_START_DATE	STREET_START_DATE	-	-	-
Street	-	-	STREET_END_DATE	STREET_END_DATE	STREET_END_DATE	-	-	-
Street	-	-	LAST_UPDATE_DATE	LAST_UPDATE_DATE	LAST_UPDATE_DATE	-	-	-
Street	-	-	RECORD_ENTRY_DATE	RECORD_ENTRY_DATE	ENTRY_DATE	-	-	-
Street	-	-	STREET_START_X	STREET_START_X	START_X	-	-	-
Street	-	-	STREET_START_Y	STREET_START_Y	START_Y	-	-	-
Street	-	-	STREET_END_X	STREET_END_X	END_X	-	-	-
Street	-	-	STREET_END_Y	STREET_END_Y	END_Y	-	-	-
Street	-	-	STREET_TOLERANCE	STREET_TOLERANCE	STREET_TOLERANCE	-	-	-
Street Descriptor	-	-	RECORD_IDENTIFIER	RECORD_IDENTIFIER	RECORD_IDENTIFIER	-	-	-
Street Descriptor	-	-	CHANGE_TYPE	CHANGE_TYPE	CHANGE_TYPE	-	-	-
Street Descriptor	-	-	PRO_ORDER	PRO_ORDER	PRO_ORDER	-	-	-
Street Descriptor	-	USRN	USRN	USRN	USRN	-	-	-
Street Descriptor	-	STREET_DESCRIPTION	STREET_DESCRIPTION	STREET_DESCRIPTOR	DESCRIPTOR	OS_BS_STRE	-	-
Street Descriptor	-	LOCALITY_NAME	LOCALITY_NAME	LOCALITY_NAME	LOCALITY	OS_BS_LOCA	-	-
Street Descriptor	-	TOWN_NAME	TOWN_NAME	TOWN_NAME	TOWN	OS_BS_TOWN	-	-
Street Descriptor	-	ADMINISTRATIVE_AREA	ADMINISTRATIVE_AREA	ADMINISTRATIVE_AREA	ADMINISTRATIVE_AREA	OS_BS_LA	-	-
Street Descriptor	-	ALT_LANGUAGE	LANGUAGE	LANGUAGE	LANGUAGE	-	-	-
Metadata	-	-	RECORD_IDENTIFIER	RECORD_IDENTIFIER	RECORD_IDENTIFIER	-	-	-
Metadata	-	-	GAZ_NAME	GAZ_NAME	GAZ_NAME	-	-	-



AddressBase® Premium Record type	AddressBase attribute	AddressBase Plus attribute	AddressBase Premium attribute	National Land and Property Gazetteer attribute	One Scotland Gazetteer attribute	MasterMap® Address Layer 2 attribute	Address Layer attribute	ADDRESS-POINT® attribute
Metadata	-	-	GAZ_SCOPE	GAZ_SCOPE	GAZ_SCOPE	-	-	-
Metadata	-	-	TER_OF_USE	TER_OF_USE	TER_OF_USE	-	-	-
Metadata	-	-	LINKED_DATA	LINKED_DATA	-	-	-	-
Metadata	-	-	GAZ_OWNER	GAZ_OWNER	GAZ_OWNER	-	-	-
Metadata	-	-	NGAZ_FREQ	NGAZ_FREQ	-	-	-	-
Metadata	-	-	CUSTODIAN_NAME	CUSTODIAN_NAME	CUSTODIAN_NAME	-	-	-
Metadata	-	-	CUSTODIAN_UPRN	CUSTODIAN_UPRN	-	-	-	-
Metadata	-	-	LOCAL_CUSTODIAN_CODE	LOCAL_CUSTODIAN_CODE	CUSTODIAN_CODE	-	-	-
Metadata	-	-	CO_ORD_SYSTEM	CO_ORD_SYSTEM	CO_ORD_SYSTEM	-	-	-
Metadata	-	-	CO_ORD_UNIT	CO_ORD_UNIT	CO_ORD_UNIT	-	-	-
Metadata	-	-	META_DATE	META_DATE	META_DATE	-	-	-
Metadata	-	-	CLASS_SCHEME	CLASS_SCHEME	CLASS_SCHEME	-	-	-
Metadata	-	-	GAZ_DATE	GAZ_DATE	GAZ_DATE	-	-	-
Metadata	-	-	LANGUAGE	LANGUAGE	LANGUAGE	-	-	-
Metadata	-	-	CHARACTER_SET	CHARACTER_SET	CHARACTER_SET	-	-	-
Trailer	-	-	RECORD_IDENTIFIER	RECORD_IDENTIFIER	RECORD_IDENTIFIER	-	-	-
Trailer	-	-	NEXT_VOLUME_NUMBER	NEXT_VOLUME_NUMBER	NEXT_VOLUME_NUMBER	-	-	-
Trailer	-	-	RECORD_COUNT	RECORD_COUNT	RECORD_COUNT	-	-	-
Trailer	-	-	ENTRY_DATE	ENTRY_DATE	ENTRY_DATE	-	-	-
Trailer	-	-	TIME_STAMP	TIME_STAMP	TIME_STAMP	-	-	-